


## DECOR SPOTLIGHT

# PICASSO



### **Technical data**

<i>Nominal voltage:</i>	230V/ 50-60Hz
<i>Power:</i>	8W; 12W
<i>Light source:</i>	SMD 2835
<i>Colour temperature:</i>	4000K
<i>Colour body:</i>	Satin nickel; Antique brass
<i>Material:</i>	Metal
<i>Beam angle:</i>	30°
<i>Operating temperature:</i>	50-60°
<i>Average lifetime:</i>	30 000h
<i>Switch on/off:</i>	15 000h
<i>CRI:</i>	Ra≥80
<i>Protection level against moisture and dust:</i>	IP20

## Features

- Lower maintenance cost thanks to longer lifetime
- Reduced operational cost thanks to lower energy consumption.
- Modern appearance
- Mercury free.
- Maximum resistance to switching loads.
- Correct operation even at low temperature.
- Instant-on light.

## Area of application

- Trade facilities
- Shops
- Framed pictures
- Art galleries

## Variants and Dimensions


Description	Watt	Whole fixture lumens	Colour temp.	Colour body	Size (mm)			Catalogue number
	<b>(W)</b>	<b>(lm)</b>	<b>(K)</b>		<b>Width</b>	<b>Length</b>	<b>Height</b>	
LED Picture Light	8	640	4000	Satin nickel	70	495	180	<b>955PICASSO8/SN</b>
LED Picture Light	8	640	4000	Antique brass	70	495	180	<b>955PICASSO8/AB</b>
LED Picture Light	12	960	4000	Satin nickel	70	675	190	<b>955PICASSO12/SN</b>
LED Picture Light	12	960	4000	Antique brass	70	675	190	<b>955PICASSO12/AB</b>

## Barcodes

<b>3800131199652</b>	<b>955PICASSO8/SN</b>
<b>3800131199645</b>	<b>955PICASSO8/AB</b>
<b>3800131199638</b>	<b>955PICASSO12/SN</b>
<b>3800131199621</b>	<b>955PICASSO12/AB</b>

# TECHNICAL SPECIFICATION

## *Energy efficiency*



## *Standards*

- EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 60598-1 • EN 13032-4 •

